


LAM FOIL MATT GOLD FSC™ / SH6020 PLUS / YG60

PRODUCT DESCRIPTION / BENEFITS

Face : Matt gold aluminium foil combined with woodfree paper. Nitro-cellulose base surface coating. FSC certified.

Adhesive : Water-based permanent acrylic adhesive. Good adhesion to wet surfaces at low temperatures. Especially designed for glass containers, with excellent resistance to immersion in water/ice

Liner : Honey supercalendered glassine paper one side sili-conised. There may be slight variations in tone.



FEATURES

ICE BUCKET



WET OPACITY



FRIDGE



PRODUCT RECOMMENDATIONS

Product specially designed for high added value bottled in glass (wine, licquors, oil, water,...)

Suitability for neck labels should be thoroughly checked and validated. Not suitable for very small radius. If possible, consider using a product from the Fedrigoni's neck label range for this application. In doubt contact Fedrigoni's technical support team for advice.

Excellent water resistance with good stability after immersion in ice and water. The test of resistance is carried out by sticking a blank (unprinted) label on a standard glass bottle. Five days after the label is stuck on, it is submerged in an ice bucket containing icy water for a minimum period of 4 hours and its resistance to immersion is checked.

SHELF LIFE

2 years, under storage conditions as defined by FINAT section 2.5 (20-25°C, 40-50% RH). Prolonged storage at higher temperatures and/or humidity levels will shorten the shelf life of the product.

LAM FOIL MATT GOLD FSC™ / SH6020 PLUS / YG60

PHYSICAL PROPERTIES / TYPICAL VALUES

FACE MATERIAL

LAM FOIL MATT GOLD FSC™

ADHESIVE

SH6020 PLUS

Tack Glass	14 N	FTM9
Min Labelling temperature	+5 °C	
Usage Temperature	-10/+75 °C	

LINER

YG60

Grammage	55 Gr/m ²	ISO 536
Thickness	48 µm	ISO 534-80

DISCLAIMER

Information on physico-chemical characteristics and values in this document are based upon tests we believe to be reliable and do not constitute a warranty. They are intended only as a source of information and are given without guarantee and do not constitute a warranty. Purchasers should independently determine, prior to use, the suitability of this material to their specific use. All technical data are subject to change. All Fedrigoni products are sold subject to terms and conditions of sale. For more information, contact your Fedrigoni sales representative. In case of any ambiguities or differences between the English and foreign versions of this document, the English version shall be prevailing and leading.